

Designed for a new generation:
AVISTA PROBIKE 4T STD



Unsere gesamte Expertise in unserer

NEUEN MARKE.

Our entire expertise combined in our **NEW BRAND.**

AVISTA

ProBiKE

4T STD



Das erste Motorradöl von AVISTA OIL. Entwickelt für höchste Ansprüche.
Qualität Made in Germany.

AVISTA OIL's first motorcycle oil. Designed to meet the highest demands.
Quality Made in Germany.



MADE IN GERMANY

avista-oil.com

Neu im Sortiment: **AVISTA PROBIKE 4T STD 10W-40 & 20W-50**

Das neue AVISTA PROBIKE 4T STD ist ein mineralöl-basiertes Motorradöl, das ausschließlich für Motorräder mit nassen und ölgeschmierten Kupplungen entworfen wurde. Eine eigens entwickelte und ausgewoge-

ne Additivtechnologie für anspruchsvolle Motoren von 4-Takt-Motorrädern garantiert eine exzellente Schmierfilmhaftung und ein hervorragendes Reibungsvermögen. **Zu jeder Zeit.**

AVISTA PROBIKE 4T STD. Die Vorteile auf einen Blick:



Kupplung

Ausgezeichnete Nass-Kupplungseigenschaften



Getriebe

Überdurchschnittlicher Schutz des Getriebes gegenüber Verschleiß und extremen Belastungen



Ablagerungen

Zuverlässiger Schutz gegenüber Ablagerungen



Oxidation

Robust gegenüber Oxidation – auch bei höchsten Temperaturen



Schmierung

Herausragende Metall-Metall-Schmierfähigkeit

Viskositäten: 10W-40, 20W-50

Anwendungsempfehlung: JASO MA2 / MA, API SL/SJ/SG

New in our range: **AVISTA PROBIKE 4T STD 10W-40 & 20W-50**

The new AVISTA PROBIKE 4T STD is a mineral oil based motorcycle oil developed exclusively for motorcycles with wet and oil-lubricated clutches. A specially de-

signed and balanced additive technology for demanding engines of 4-stroke motorcycles is used. It guarantees excellent film adhesion and friction capacity. **Anytime.**

AVISTA PROBIKE 4T STD. The benefits at a glance:



Coupling

Excellent friction performance



Transmission

Superior protection of the transmission against wear and extreme pressure



Deposits

Reliable protection against deposits



Oxidation

Robust against oxidation – even at very high temperatures



Lubrication

Outstanding metal-to-metal lubrication

Viscosities: 10W-40, 20W-50

Recommendations: JASO MA2 / MA, API SL/SJ/SG

Für weiterführende **Informationen:**
For further **information:**



AVISTA OIL Refining & Trading Deutschland GmbH
Bahnhofstraße 82 ♦ 31311 Uetze, Germany
Telefon/Phone +49 5177-85-0 ♦ Fax +49 5177-85-228
info@avista-oil.com ♦ www.avista-oil.com